

FOR POOLS
up to **20m³**

**& plug
play**

Compatible
all above
ground pools

NANO ACTION REVERSIBLE

**INNOVATION
2020**



**POOLEX
NANO
ACTION
REVERSIBLE**

HEAT PUMP WARRANTY

**2
YEARS**

NANO ACTION REVERSIBLE

The heat pump for small pools and spas

- Plug & play
- Compatible with all above ground swimming pools
- Light and compact
- Operates **down to -5°C**



Heating
3000W

5
COP
26/26

Consumption
600W

NANO ACTION REVERSIBLE

FOR POOLS
up to 20m³

& plug
play

Compatible
all above
ground pools



POOLEX
NANO
ACTION
REVERSIBLE

Why choose the **NANO ACTION REVERSIBLE** ?

- Plug & play
- Reversible
- Operates down to -5°C
- Compatible with all above ground pools
- Light and compact
- Ultra silent
- Economical

The ideal reversible heat pump for swimming pools up to 20m³.

Even more efficient, the Nano action Reversible outperforms all its rivals thanks to its reversible mode able to operate until -5°C.

With its 32/38mm and 1" connectors, it can be connected in just a few seconds to any standard filtration system, be it an above ground or in ground swimming pool, or a spa.

Simply plug the Nano Action Reversible to an outlet and heat up your swimming pool.

Designed with the same specifications as a premium heat pump, it features the same efficiency in an ultra compact casing. Its light weight enables anyone to carry it easily.

HEAT PUMP WARRANTY

2
YEARS



TECHNICAL DATA

Pool volume (m ³)	≤ 20	
Reference: PC-NAN30R		
Air 26°C	Capacity (W)	3000
Water 26°C	Consumption (W)	600
Hygro 80%	COP	5
Air 15°C	Capacity (W)	2 200
Water 26°C	Consumption (W)	560
Hygro 70%	COP	3.93
Electricity supply	Mono 230V / 50Hz	
Max power (W)	900	
Max current (A)	3.99	
Heating temperature range	15°C / 40°C	
Operating range	-5°C / 43°C	
Flow (m ³ /h)	1.3	
Refrigerant	R32	
Package dimensions (mm)	460 x 370 x 415	
Dimensions (mm)	400 x 280 x 385	
Net / Gross weight (kg)	18 / 20	
Noise level at 1 m (dB(A))	<53	
Noise level at 4 m (dB(A))	<43	
Noise level at 10 m (dB(A))	<33	
Compressor type	Rotation	
Compressor brand	Toshiba	
Heat exchanger	Titanium Twisted Tech [®]	
Function	Heating	
Load losses (mCE)	0.8	

E.U. Standard
TUV Certified

COMPATIBLE WITH



Acrylic spas



Tubular structure pools



Above ground pools



Small pools
<20m³

The POOLEX advantage: all accessories included



5m electric extension and socket
with 10 mA earth leakage protection



PVC connectors PVC
Ø 32-38mm



Multi-language installation
and user manual



Compact packaging

Reinforced packaging, multi-language, including
all accessories



NANO ACTION REVERSIBLE

The heat pump for small pools and spas

Commercial service

Tel: 04 91 51 15 16

E-mail: contact@poolstar.fr

www.poolstar.fr